











T8covRguard™ Polylux XLR™

#F58W/T8/840/GE/CVG/XL-R/25WAY ECO

12407

Product information

Imagine the dangers caused by a broken tube in food preparation areas or interiors with public access. Shards of glass could cause damage or injury – and even expose your business to litigation. Why take risks? covRguard™ protects both employees and the public, and helps managers comply with legislation and due diligence requirements. It comprises a protective outer sleeve that's fitted to our T5* and T8 linear fluorescent lamps, containing glass and phosphors in the event of breakage. covRguard™ is UV stable and will not affect lumen output in normal usage.

Application areas



Retail



Office



Education



Industrial



Health and Safety









Product data

Product Code	12407
Bulb Shape	Tubular
Bulb Diameter [mm]	26
Bulb maximum overall diameter [mm]	26
Cap to Cap Length (Max) [mm]	1500
Net weight per piece [g]	271
Gross weight per piece [g]	317
UV radiance	Exempt
Brand	General Electric (GE)
Cap/Base	G13

Performance data

Colour Code	840	
Lumen at 25°C [lm]	5050	
Weighted energy consumption [kWh/1000h]	67.78	
Rated efficacy [lm/W]	87	
Energy efficiency class (EEC)	A	
Rated Life [h]	15000	
Rated median life on electromagnetic (EM / CCG) ballast 18000 on IEC 12-hour cycle		
Rated median life on electronic (HF / ECG) ballast on IEC 23000 12-hour cycle		
Rated median life on electronic (HF / ECG) ballast on IEC 20000 3-hour cycle		
Nominal correlated colour temperature (CCT) [K]]	4000	
Nominal lumens [lm]	5050	
Colour Rendering Index (CRI) [Ra]	84	



T8covRguardTM Polylux XLRTM #F58W/T8/840/GE/CVG/XL-R/25WAY ECO

12407

Electrical data

Design Ambient Temperature [°C]	25
Design Lamp ambient temperature [°C]	25
Starting ambient temperature range	-15
Dimming Capability	Yes
Nominal power [W]	58

Logistic data

DUN Code	20043168124076
EAN Code	0043168124072
Pack Quantity	25
Inner pack type	BOX
Layer quantity	150 Special
Outer case size	1530 x 145 x 155 (mm)
Product status	Phased-out

Downloads & Links

Go to the catalog site (HTTP)

Speciality Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Speciality Lamps Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination