



GE
Lighting



816
kWh/1000h

C
energy class

27
lumens/watt

Double Ended Quartzline

TU E J G Q750T3/4CL MIH


23756

Product information

Precision range of double ended Quartzline® lamps widely used in theatre and many other applications. A range from 350 W to 2,000 W with 3200K.

Application areas

 Theatre



Product data

Product Code	23756
Bulb Shape	Double Ended
Bulb Diameter [mm]	10
Maximum Overall Length [mm]	119.1
Net weight per piece [g]	9
Gross weight per piece [g]	29
Brand	General Electric (GE)
Cap/Base	R7s

Performance data

Weighted energy consumption [kWh/1000h]	815.07
Energy efficiency class (EEC)	C
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	20600
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Coil type	C-8
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	750
Nominal lamp voltage [V]	120

Logistic data

DUN Code	10043168237564
EAN Code	0043168237567
Pack Quantity	12
Layer quantity	564 EUR, 672 UK
Layer quantity EUR	564
Layer quantity UK	672
Pallet quantity EUR (PC)	2820
Pallet quantity UK (PC)	3360
Outer case size	157 x 123 x 171 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination