



Stick T3 Mini - 10,000 hours ot@fle15TBX/T3/827/E27 220-240V 1/8T 10Y

72688

Product information

The T3 10,000 hours Mini stick range offers low energy consumption in a compact size, along with additional benefits such as instant light-on and fast warm-up. Stick shaped lamps provide an energy saving alternative for almost all applications where incandescent bulbs are currently used – ensuring excellent light quality and reliable energy savings.

Application areas













Product data

Cap/Base	E27
Bulb Shape	Hex
Bulb Diameter [mm]	10
Bulb maximum overall diameter [mm]	44.5
Nominal Length [mm]	134
Maximum Overall Length [mm]	544
Net weight per piece [g]	64
Gross weight per piece [g]	96
Operating position	U - Universal
Mercury Content [mg]	2
UV radiance	exempt
Regulatory comment	EUP related
Brand	General Electric (GE)

Performance data

Colour Code	827
Colour Rendering Index (CRI) [Ra]	82
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	850
Energy efficiency class (EEC)	А
Rated Life [h]	10000
Weighted energy consumption [kWh/1000h]	15





72688

Electrical data

Nominal power [W]	15
Nominal lamp voltage [V]	230
Lamp Current [A]	0.12
Operating Temperature (MAX) [°C]	40
Starting ambient temperature range	-10
Startup time [sec]	1


Logistic data

DUN Code	10043168726884
EAN Code	43168726887
Pack Quantity	8
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	360 EUR, 448 UK
Layer quantity EUR	360
Layer quantity UK	448
Pallet quantity EUR (PC)	2520
Pallet quantity UK (PC)	3136
Outer case size	196 x 106 x 153 (mm)





Survival data



Downloads & Links

Go to the catalog site (HTTP)

CFL Integrated Spectrum Catalogue (PDF)

CFL Stick T3 10000 Hrs Mini Data sheet (PDF)

Lighting design tools & calculators (HTTP)

Disposing and Cleaning of CFL Lamps (HTTP)

Data sheets (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)