







GLS T2 - 6,000 hours OT@FLE8GLS/T2/827/E14 GE 1/8T 6Y /01

88178

# **Product information**

The 6,000 hours CFL GLS lamps offer traditional incandescent shape, long life and elegant light. Suitable for general home lighting, GE Lighting's Decor CFL range is an ideal and eco-friendly solution.

#### **Application areas**













#### **Product data**

Product Code	88178
Bulb Shape	Heliax w. GLS Lookalike
Regulatory comment	EUP related
Bulb maximum overall diameter [mm]	52.5
Nominal Length [mm]	103.5
Net weight per piece [g]	62
Gross weight per piece [g]	77
Operating position	U - Universal
Mercury Content [mg]	2
UV radiance	exempt
Brand	General Electric (GE)
Cap/Base	E14

### Performance data

Colour Code	827
Energy efficiency class (EEC)	A
Rated Life [h]	6000
Nominal correlated colour temperature (CCT) [K]]	2700
Nominal lumens [lm]	370
Colour Rendering Index (CRI) [Ra]	80

#### **Electrical data**

Lamp Current [A]	75
Operating Temperature (MAX) [°C]	50
Starting ambient temperature range	-10
Startup time [sec]	0.1
Dimming Capability	No
Nominal power [W]	8
Nominal lamp voltage [V]	230





## Logistic data

DUN Code	30043168881785
EAN Code	0043168458481
Pack Quantity	8
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	240 EUR, 320 UK
Layer quantity EUR	240
Layer quantity UK	320
Pallet quantity EUR (PC)	1920
Pallet quantity UK (PC)	2560
Outer case size	236 x 123 x 125 (mm)
Product status	Marked for phase-out





#### Survival data







#### **Downloads & Links**

Go to the catalog site (HTTP)

**CFL Integrated Spectrum Catalogue (PDF)** 

CFL Integrated GLS Lamps - Data sheet (PDF)

**Lighting design tools & calculators (HTTP)** 

Disposing and Cleaning of CFL Lamps (HTTP)

**CFL Integrated Spectrum Catalogue (PDF)** 

Disposing and Cleaning of CFL Lamps (HTTP)

Lighting design tools & calculators (HTTP)

Datasheets (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)