







LED T8 Glass Rotatable LED 27/T8 VGR 5ft/840/100-240V BX1/10

93022326

Product information

The LED T8 VGR Glass Rotatable range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm and 150cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

Application areas



Office



Hospitality



Industrial



Car park











Product data

Product Code	93022326
Bulb Shape	Linear tube
Bulb Finish	White
Bulb Diameter [mm]	28
Regulatory comment	CE certified
Maximum Overall Length [mm]	1514
Cap to Cap Length (Max) [mm]	1500
Net weight per piece [g]	310
Operating position	Universal
RoHS compliant	Yes
Brand	General Electric (GE)
Cap/Base	G13 Rotatable

Performance data

Nominal/ Rated Beam Angle [°]	200
Colour Code	840
Rated Lumens [lm]	3000
Weighted energy consumption [kWh/1000h]	27
Rated efficacy [lm/W]	100
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	40000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	3000
Colour Rendering Index (CRI) [Ra]	80



93022326

Electrical data

Nominal lamp power factor	>0,9
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Startup time [sec]	<0,5s
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	100-240
Nominal power [W]	27
Nominal lamp voltage [V]	230

Logistic data

DUN Code	10064894525312
EAN Code	0064894525315
Pack Quantity	10
Inner pack type	Sleeve
Outer pack type	Corrugated BOX
Pallet quantity EUR (PC)	270
Outer case size	1630x235x120mm
Product status	Available





LED T8 Glass Rotatable


LED 27/T8 VGR 5ft/840/100-240V BX1/10

93022326

Photometric Data







Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

Photometry (IES)

High-resolution image (JPG)

LED T8 Glass range Data sheet (PDF)

LED T8 range Installation guide (HTTP)

LED T8 Glass Rotatable range images (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)