



DURABLE TRACKLIGHT GU10

Typology

Professional LED projectors for track mounting with GU10 lampholder.

Feature

Can be used with Eurostandard Plus tracks as well as with other brands: Staff, Nordlux, Nordic, Global, etc.

Data sheet code: DBTR160-B

Installation

Onto an electrical track in 3 phases; fixtures equipped with a safety lock to fix to the tracks.

Material

Die-cast painted aluminium body.

Ream

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

Notes

Cable lenght 1,5 m.

220-240 Vac



GU10

-15°C +35°C






Characteristic data

Input	220-240 Vac	Base	GU10	IP	20	LED Warranty	G3
Color	Black						

Dimensional characteristics



L	110 mm
Ø	60 mm
Н	160 mm

Electrical characteristics

Input voltage	220-240 Vac
Frequency	50-60 Hz
Operating temperature	-15°C / +35°C

Data sheet code: DBTR160-B



LED Warranty

63	Up to 3 years
	(4000h/year) *4000h = 11h a day x 365 days.
	Without limitations on the duration of use for the first year, provided the observance of
	the installation conditions.

Standards and Directives

2009/125/EC, 1194/2012, 2015/1428, 2010/30/EU	CEI EN 61000-3-3:2014	
874/2012, 2011/65/EU, 2012/19/EU, 2014/30/EU	CEI EN 61547:2010	
2014/35/EU, 2015/863	CEI EN 62031:2009	
CEI EN 55015:2020	CEI EN 62031/A1/A2:2015	
CEI EN 60598-1:2015	CEI EN 62471:2010	
CEI EN 60598-1/A1:2019	IEC TR 62471-2:2009	
CEI EN 60598-2-2:2012	CEI EN 62493:2015	
CEI EN 61000-3-2:2019	CEI 34-141:2014	

Logistics data

Item net weight	290 gr
Barcode single item	8011905981082
Number of pieces multiple pack	20

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibilityderiving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products

