

Product code: 240065 EAN: 5901583240065


LED line® strip 150 SMD 12V yellow 2,4W

Product description

LED line® strips are a perfect choice for various lighting purposes e.g. furniture, shop expositions, advertisements and interior decoration. They combine high light efficiency with low energy consumption. Thanks to compact size and excellent flexibility LED line® strips can be used wherever needed, even where traditional solutions can't be applied because of constricted space. The only limit is your imagination.










| Name of the parameter | Value |
|---------------------------------------|--------|
| Colour of the light | Yellow |
| IP protection rating | 20 |
| Warranty (years) | 5 |
| Minimum purchase quantity | 5 |
| Lifetime L70B50 | 50000 |
| Wattage (1m) | 2,4 W |
| Wavelength | 590nm |
| Current (1m) | 0,2 |
| Supply voltage range and voltage type | 12 DC |


| Name of the parameter | Value |
|--|--------------|
| Metres per roll | 5 |
| The lumen maintenance factor | >0,7 |
| Beam angle | 120 ° |
| LED type | SMD3528 |
| Not dimmable | TAK |
| Compatible dimmer type | PWM |
| Laminate (colour) | White |
| Laminate (thickness) | 2 |
| LED quantity (1m) | 30 |
| Cutting section | 10 |
| Type of adhesive tape | 3M 300 LSE |
| Lifespan | 100000 |
| Number of on/off cycles | 50000 |
| Colour consistency in McAdam ellipses | ≤3 |
| Ambient temperature suitable for operation | `-20 ÷ 45 °C |
| For indoor use | YES |
| IEC protection class | III |
| Full box quantity | 75 pc |
| Lamp's warm-up time to 60% | 1 |
| Width | 8 mm |
| Height | 2,5 mm |
| Product weight with packaging (g) | >0,7 g |
| Master carton weight (kg) | 7,73 |
| Product code | 240065 |



Luminous [cd/klm]




Cumulative packaging



100

Europallet



Number of pieces Bulk quantity Pallet height [mm] Quantity in 1 layer Number of layers