


Product code: 240539 EAN: 5901583240539

LED line® strip 300 SMD 24V RGB 14,4W



Product description

This LED strip produces light from RGB colour palette. Reliable photometric files are available based on photometric tests performed at the LED line® Light Research and Measurement Centre.



Manufacturer issues a 5-year warranty for this product.



Reliable photometric files are available based on photometric tests performed at the LED line® Light Research and Measurement Centre.



IP protection rating



Voltage range and voltage type



Beam angle



Compatible dimmer type



LED quantity (1m)



Type of adhesive tape



Ambient temperature suitable for operation



This LED strip produces light from RGB colour palette.



Lifespan



LED type



Laminate (thickness)



Cutting section



Number of on/off cycles




IEC protection class


Name of the parameter	Value
Colour of the light	RGB
IP protection rating	20
Warranty (years)	5
Minimum purchase quantity	5
Lifetime L70B50	50000
Wattage (lm)	14,4 W
Wavelength	620, 520, 465nm
Current (lm)	0,6
Supply voltage range and voltage type	24 DC

Name of the parameter	Value
Metres per roll	5
The lumen maintenance factor	>0,7
Beam angle	120 °
LED type	SMD5050
Not dimmable	TAK
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	60
Cutting section	10
Type of adhesive tape	3M 300 LSE
Lifespan	100000
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20 ÷ 45 °C
For indoor use	YES
IEC protection class	III
Full box quantity	75 pc
Lamp's warm-up time to 60%	1
Width	10 mm
Height	2,5 mm
Product weight with packaging (g)	>0,7 g
Master carton weight (kg)	10,8
Product code	240539

Luminous [cd/klm]




Cumulative packaging



Number of pieces 100

Europallet



Number of pieces	2400
Bulk quantity	60
Weight [kg]	300
Weight [kg]	300
Pallet height [mm]	1800
Quantity in 1 layer	6
Number of layers	10