



NEOLUX®
GERMAN TECHNOLOGY

Standard 4 W 24 V BA9s

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N249



N249

Product information	
Application (Category and Product specific)	Auxiliary lamp

Electrical Data	
Power input	5 W
Test voltage	28.0 V
Power input tolerance	±10 %
Nominal wattage	4 W
Nominal voltage	24.0 V

Photometric Data	
Nominal luminous flux	35 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions	
Diameter	9 mm
Product weight	2.02 g
Length	27.4 mm
Lamp base	BA9s
Diameter	9 mm


Lifetime Data	
Lifespan Tc	350 hr
Lifespan B3	120 hr

Certificates & standards	
ECE category	T4W
British standard	249

Logistical data	
Order reference	N249

Environmental & Regulatory Information	
Primary article identifier	4008321769350
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information			
Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
N249	4008321769350	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com