

HNS 36 W G13

PURITEC HNS UV-C | UV-C lamps for purification

. <u>.</u>	

Areas of application

- Efficient disinfecting of air, water and surfaces

Product family benefits

- Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

Product family features

- Dominant wavelength: 254 nm (OFR version)



October 22, 2020, 14:08:41 HNS 36 W G13

Technical data

Product information

Order reference HNS 36W G13

Electrical data

Nominal voltage	103 V
Lamp voltage	103 V
Construction voltage	103.00 V
Nominal current	0.44 A
Lamp current	0.44 A
Nominal wattage	36.00 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 200280 nm (UVC)	15 W

Dimensions & weight



Diameter	26.0 mm
Length	1200 mm
Lifespan	
Lifespan	9000 h
Additional product data	
Base (standard designation)	G13
Capabilities	
Dimmable	No

Burning position Any		
Country specific categorizations		
Order reference HNS 36W G13		

HNS 36 W G13

PURITEC HNS UV-C | UV-C lamps for purification

Product name	Product name ECG	EAN
HNS 36 W G13	QT-FIT 5/8 1x18-39	4008321873927
	QTP-OPTIMAL 2x18-40	4008321873767

Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.







Detail





Detail

Detail



Detail

Detail

Logistical Data

Detail

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899084018	HNS 36 W G13	Sleeves 1	1210 mm x 28 mm x 27 mm	0.91 dm³	166.00 g
4052899103382	HNS 36 W G13	Shipping carton box 25	1236 mm x 148 mm x 155 mm	28.35 dm³	4985.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.