


64576 1000 W 230 V

Halogen lamps, medium/high voltage, single-ended

Areas of application

- Professional film and TV work



Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Product datasheet

Technical data

Product information

Order reference	64576
-----------------	-------


Electrical data

Nominal wattage	1000.00 W
Nominal voltage	230 V

Photometrical data

Color temperature	3200 K
-------------------	--------

Dimensions & weight



Diameter	24.0 mm
Length	67.5 mm
Illuminated field	14.0*14.0 mm ²
Filament diameter	14.0 mm

Lifespan

Lifespan	75 h
----------	------

Additional product data

Base (standard designation)	GX6.35
-----------------------------	--------

Capabilities

Burning position	Other
------------------	-------

Certificates & standards

EEI – Energy Label	B
--------------------	---

Product datasheet

Country specific categorizations

ANSI code	Other
Order reference	64576

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899274532	64576 1000 W 230 V	Folding carton box 1	42 mm x 42 mm x 111 mm	0.20 dm ³	31.00 g
4052899274549	64576 1000 W 230 V	Shipping carton box 12	180 mm x 140 mm x 127 mm	3.20 dm ³	337.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:
"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.