### Product datasheet



# LED VALUE CL A 75 11.5 W/827 E27

LED VALUE CLASSIC A | LED lamps, classic bulb shape



#### Areas of application

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires

#### Product benefits

- Very low energy consumption
- Shockproof and vibration-proof thanks to LED technology
- No UV radiation in the light beam
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs
- Lower thermal output (compared with the standard reference product)

#### Product features

- Professional LED lamps for line voltage
- Not dimmable
- Base: E27
- Mercury-free lamps
- Lifetime: up to 15,000 h



# Product datasheet

### Technical data

### **Electrical data**

Rated wattage	11.50 W
Nominal wattage	11.50 W
Nominal voltage	220240 V
Operating frequency	5060 Hz
Power factor $\lambda$	> 0.50
Claimed equiv. conventional lamp power	75 W

### Photometrical data

Nominal luminous flux	1055 lm
Rated luminous flux	1055 lm
Color temperature	2700 К
Color rendering index Ra	≥80
Light color (designation)	Warm White
Standard deviation of color matching	≤6 sdcm

## Light technical data

Warm-up time (60 %)	< 0.50 s
Starting time	< 0.5 s

# Dimensions & weight

Overall length	120.0 mm
Diameter	60.0 mm
Outer bulb	A60
Length	120.0 mm

# Lifespan

Nominal lamp life time	15000 h	
Rated lamp life time	15000 h	
Number of switching cycles	100000	
Lumen main.fact.at end of nom.life time	0.70	
Lumen maintenance at end of service life	0.70	

# Additional product data

Base (standard designation)	E27
Mercury content	0.0 mg
Mercury-free	Yes

# Product datasheet

Design / version	Frosted
Appropriate disposal acc. to WEEE	Yes
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

#### Capabilities

### Certificates & standards

Energy efficiency class	A+
Energy consumption	12 kWh/1000h

### **Country specific categorizations**

ference VALUECLA75 11,5
-------------------------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899971028	LED VALUE CL A 75 11.5 W/827 E27	Shipping carton box 10	315 mm x 131 mm x 134 mm	5.53 dm³	910.00 g
4052899971028	LED VALUE CL A 75 11.5 W/827 E27	Shipping carton box 20	316 mm x 252 mm x 134 mm	10.67 dm³	1881.00 g
4052899971028	LED VALUE CL A 75 11.5 W/827 E27	Shipping carton box 30	372 mm x 315 mm x 125 mm	14.65 dm³	2638.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.