

Product family datasheet

LUMILUX T8

Tubular fluorescent lamps 26 mm, with G13 bases



Product family datasheet

Technical data

| Product description | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | Additional product data | |
|---------------------|--------------------------|--------------------|---|----------------------------------|----------------------------------|-------------------------|-----------------------------|
| | Energy efficiency class | Energy consumption | Date of Declaration | Primary Article Identifier | Declaration No. in SCIP database | Predecessor EAN | Base (standard designation) |
| L 15 W/827 | G | | 19-01-2022 | 4050300446042 | In work | | |
| L 15 W/830 | G | | 19-01-2022 | 4050300446028 | In work | | |
| L 15 W/840 | G | | 19-01-2022 | 4050300446004 | In work | | |
| L 15 W/865 | G | | 19-01-2022 | 4050300446189 | In work | | |
| L 16 W/830 | G | | 19-01-2022 | 4008321959065 | In work | | |
| L 16 W/840 | G | | 19-01-2022 | 4050300446066 | In work | | |
| L 18 W/830 | G | | 19-01-2022 | 4050300517810 | In work | 4050300470405 | |
| L 18 W/830 | G | 22 kWh/1000h | 19-01-2022 | 4050300470405 | In work | | G13 |
| L 18 W/835 | A | 22 kWh/1000h | 19-01-2022 | 4050300447964 | In work | | G13 |
| L 18 W/840 | G | | 19-01-2022 | 4050300517797 | In work | 4050300443409 | |
| L 18 W/840 | G | | 19-01-2022 | 4050300443409 | In work | | |
| L 18 W/865 | G | | 19-01-2022 | 4050300517773 | In work | | |
| L 18 W/880 | G | | 19-01-2022 | 4008321027962 | In work | | |
| L 23 W/840 | G | | 19-01-2022 | 4050300446240 | In work | | |
| L 30 W/827 | G | | 19-01-2022 | 4050300518077 | In work | | |
| L 30 W/830 | G | | 19-01-2022 | 4050300518053 | In work | | |
| L 30 W/840 | G | | 19-01-2022 | 4050300518039 | In work | | |
| L 30 W/865 | G | | 19-01-2022 | 4050300518015 | In work | | |
| L 36 W/830 | G | 43 kWh/1000h | 19-01-2022 | 4050300443324 4050300517896 | In work | 4050300443324 | G13 |
| L 36 W/840 | G | | 19-01-2022 | 4050300517872 4050300518091 | In work | 4050300443300 | |
| L 36 W/865 | G | | 19-01-2022 | 4050300517858 | In work | | |

Product family datasheet


| Product description | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | Additional product data | |
|---------------------|--------------------------|--------------------|---|----------------------------|----------------------------------|-------------------------|-----------------------------|
| | Energy efficiency class | Energy consumption | Date of Declaration | Primary Article Identifier | Declaration No. in SCIP database | Predecessor EAN | Base (standard designation) |
| L 36 W/880 | G | | 19-01-2022 | 4008321002976 | In work | | |
| L 38 W/830 | G | | 19-01-2022 | 4050300518152 | In work | | |
| L 38 W/840 | G | | 19-01-2022 | 4050300518138 | In work | | |
| L 58 W/830 | G | | 19-01-2022 | 4050300517971 | In work | 4050300470382 | |
| L 58 W/840 | G | | 19-01-2022 | 4050300517957 | In work | 4050300443362 | |
| L 58 W/865 | G | | 19-01-2022 | 4050300517933 | In work | | |
| L 58 W/880 | G | | 19-01-2022 | 4008321002990 | In work | | |

| Product description | Successor EAN |
|---------------------|---------------|
| L 15 W/827 | |
| L 15 W/830 | |
| L 15 W/840 | |
| L 15 W/865 | |
| L 16 W/830 | |
| L 16 W/840 | |
| L 18 W/830 | |
| L 18 W/830 | 4050300517810 |
| L 18 W/835 | |
| L 18 W/840 | |
| L 18 W/840 | 4050300517797 |
| L 18 W/865 | |
| L 18 W/880 | |
| L 23 W/840 | |
| L 30 W/827 | |


Product family datasheet

| Product description | Successor EAN |
|---------------------|---------------|
| L 30 W/830 | |
| L 30 W/840 | |
| L 30 W/865 | |
| L 36 W/830 | 4050300517896 |
| L 36 W/840 | 4050300517872 |
| L 36 W/865 | |
| L 36 W/880 | |
| L 38 W/830 | |
| L 38 W/840 | |
| L 58 W/830 | 4050300517971 |
| L 58 W/840 | |
| L 58 W/865 | |
| L 58 W/880 | |


Product family datasheet




L 15 W/827, L 30 W/827



L 15 W/830, L 16 W/830, L 18 W/830,
L 30 W/830, L 36 W/830, L 38 W/830,
L 58 W/830




L 15 W/840, L 16 W/840, L 18 W/840,
L 23 W/840, L 30 W/840, L 36 W/840,
L 38 W/840, L 58 W/840




L 15 W/865, L 18 W/865, L 30 W/865,
L 36 W/865, L 58 W/865

Product family datasheet



L 18 W/835



L 18 W/880, L 36 W/880, L 58 W/880

System guarantee

OSRAM System+ Guarantee in combination with OSRAM ECGs

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|--------------|---------------------|------------------------------|--------------------------------------|--------|--------------|
|--------------|---------------------|------------------------------|--------------------------------------|--------|--------------|

Product family datasheet

Logistical Data

| | | | | | |
|---------------|------------|---------------------------|--------------------------|-----------------------|-----------|
| 4050300446042 | L 15 W/827 | Shipping carton box 25 | 368 mm x 258 mm x 145 mm | 13.77 dm ³ | 2034.00 g |
| 4050300446028 | L 15 W/830 | Shipping carton box 25 | 396 mm x 230 mm x 145 mm | 13.21 dm ³ | 2009.00 g |
| 4050300446004 | L 15 W/840 | Shipping carton box 25 | 422 mm x 200 mm x 145 mm | 12.24 dm ³ | 2009.00 g |
| 4050300446189 | L 15 W/865 | Shipping carton box 25 | 413 mm x 213 mm x 145 mm | 12.76 dm ³ | 2034.00 g |
| 4008321959065 | L 16 W/830 | Shipping carton box 25 | 762 mm x 142 mm x 145 mm | 15.69 dm ³ | 3127.00 g |
| 4050300446066 | L 16 W/840 | Shipping carton box 25 | 639 mm x 270 mm x 145 mm | 25.02 dm ³ | 3127.00 g |
| 4050300517810 | L 18 W/830 | Shipping carton box 25 | 142 mm x 145 mm x 632 mm | 13.01 dm ³ | 2595.00 g |
| 4050300470405 | L 18 W/830 | Shipping carton box 30 | 562 mm x 270 mm x 206 mm | 31.26 dm ³ | 2941.00 g |
| 4050300447964 | L 18 W/835 | Shipping carton box 25 | 142 mm x 145 mm x 632 mm | 13.01 dm ³ | 2595.00 g |
| 4050300517797 | L 18 W/840 | Shipping carton box 25 | 142 mm x 145 mm x 632 mm | 13.01 dm ³ | 2595.00 g |
| 4050300443409 | L 18 W/840 | Shipping carton box 30 | 659 mm x 226 mm x 206 mm | 30.68 dm ³ | 2941.00 g |
| 4050300517773 | L 18 W/865 | Shipping carton box 25 | 142 mm x 145 mm x 632 mm | 13.01 dm ³ | 2745.00 g |
| 4008321027962 | L 18 W/880 | Shipping carton box 25 | 142 mm x 145 mm x 632 mm | 13.01 dm ³ | 2595.00 g |

Product family datasheet

Logistical Data

| | | | | | |
|---------------|------------|---------------------------|---------------------------|-----------------------|-----------|
| 4050300446240 | L 23 W/840 | Shipping carton box 25 | 799 mm x 369 mm x 145 mm | 42.75 dm ³ | 4216.00 g |
| 4050300518077 | L 30 W/827 | Shipping carton box 25 | 781 mm x 305 mm x 145 mm | 34.54 dm ³ | 3910.00 g |
| 4050300518053 | L 30 W/830 | Shipping carton box 25 | 781 mm x 304 mm x 145 mm | 34.43 dm ³ | 3910.00 g |
| 4050300518039 | L 30 W/840 | Shipping carton box 25 | 781 mm x 306 mm x 145 mm | 34.65 dm ³ | 3872.50 g |
| 4050300518015 | L 30 W/865 | Shipping carton box 25 | 937 mm x 260 mm x 232 mm | 56.52 dm ³ | 3910.00 g |
| 4050300443324 | L 36 W/830 | Shipping carton box 30 | 1269 mm x 169 mm x 206 mm | 44.18 dm ³ | 5401.00 g |
| 4050300517896 | L 36 W/830 | Shipping carton box 25 | 142 mm x 145 mm x 1242 mm | 25.57 dm ³ | 5387.00 g |
| 4050300517872 | L 36 W/840 | Shipping carton box 25 | 142 mm x 145 mm x 1242 mm | 25.57 dm ³ | 4762.00 g |
| 4050300518091 | L 36 W/840 | Shipping carton box 25 | 842 mm x 324 mm x 145 mm | 39.56 dm ³ | 4312.20 g |
| 4050300517858 | L 36 W/865 | Shipping carton box 25 | 142 mm x 145 mm x 1242 mm | 25.57 dm ³ | 4762.00 g |
| 4008321002976 | L 36 W/880 | Shipping carton box 25 | 142 mm x 145 mm x 1242 mm | 25.57 dm ³ | 5387.00 g |
| 4050300518152 | L 38 W/830 | Shipping carton box 25 | 1129 mm x 150 mm x 151 mm | 25.57 dm ³ | 4447.50 g |
| 4050300518138 | L 38 W/840 | Shipping carton box 25 | 617 mm x 621 mm x 149 mm | 57.09 dm ³ | 4512.00 g |

Product family datasheet

Logistical Data

| | | | | | |
|---------------|------------|---------------------------|---------------------------|-----------------------|-----------|
| 4050300517971 | L 58 W/830 | Shipping carton box 25 | 142 mm x 145 mm x 1542 mm | 31.75 dm ³ | 6520.00 g |
| 4050300517957 | L 58 W/840 | Shipping carton box 25 | 142 mm x 145 mm x 1542 mm | 31.75 dm ³ | 6520.00 g |
| 4050300517933 | L 58 W/865 | Shipping carton box 25 | 142 mm x 145 mm x 1542 mm | 31.75 dm ³ | 6520.00 g |
| 4008321002990 | L 58 W/880 | Shipping carton box 25 | 142 mm x 145 mm x 1542 mm | 31.75 dm ³ | 6270.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on the system guarantee and the terms and conditions of the guarantee visit

▶ www.osram.com/system-guarantee

For more information on QUICKTRONIC electronic control gear go to

▶ www.osram.com/QUICKTRONIC

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany