

MD IR N270

COM1 - Surface wiring anthracite
EAN 4007841 079796
Article number 079796



Bluetooth



Settings via App



Eagle Eye Technology



2 - 2000 lux (via App)



IP54



CE

Function description

Perfect sensor solution for entrances and façades. The powerful, LED-compatible (600 W) MD IR N270 with 270° detection range for wall mounting and extended Eagle Eye detection for frontal movement and convenient control and networking via Bluetooth Mesh. Includes smart Connect functions for networking lights, timer programmes and wireless push-buttons. Corner wall bracket included.

Technical specifications

Dimensions (L x W x H)	87 x 82 x 98 mm
With motion detector	Yes
Manufacturer's Warranty	5 years
Settings via	Bluetooth, Smartphone, Tablet
With remote control	No
Version	COM1 - Surface wiring anthracite
PU1, EAN	4007841079796
Type	Motion detectors
Application, place	Outdoors, Indoors
Application, room	terrace / balcony, all round the building, multi-storey / underground car park, courtyard & driveway, outdoors, Indoors, front door
Colour	Anthracite
Colour, RAL	7016
Includes corner wall mount	Yes
Installation site	corner, wall
Installation	Surface wiring

Mounting height	1,80 – 6,00 m
Mounting height max.	6,00 m
Optimum mounting height	2 m
Detection angle	270 °
Sneak-by guard	Yes
Capability of masking out individual segments	Yes
Electronic scalability	Yes
Mechanical scalability	No
Reach, radial	r = 2.7 m (17 m²)
Reach, tangential	r = 12.5 m (368 m²)
Switching zones	442 switching zones
Reichweite Radial Eagle Eye max.	6 m
Cover material	shrouds
Functions	Light sensor, Motions sensor, Relay output, Data monitoring
Twilight setting	2 – 2000 lx
Time setting	5 s – 60 Min.

MD IR N270

COM1 - Surface wiring anthracite
EAN 4007841 079796
Article number 079796



Technical specifications

IP-rating	IP54
Protection class	II
Ambient temperature	from -20 up to 40 °C
Material	Plastic
Mains power supply	220 – 240 V / 50 – 60 Hz
Switching output 1, resistive	2000 W
Switching output 1, number of LEDs / fluorescent lamps	10 pcs.
Power consumption	0,3 W
Technology, sensors	passive infrared, Light sensor

Basic light level function	No
Main light adjustable	No
Twilight setting TEACH	Yes
Constant-lighting control	No
Interconnection	Yes
Interconnection via	Bluetooth Mesh
Product category	Motion detector


MD IR N270

COM1 - Surface wiring anthracite


EAN 4007841 079796

Article number 079796

Detection Zone



Dimension Drawing 1



Dimension Drawing 2

