

Lynx DE SA LYNX-DE 13W/827 G24Q-1 SLV 0025917



PRODUCT OVERVIEW

IPC Code	0025917
Product name	SA LYNX-DE 13W/827 G24Q-1 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	13
Lamp shape	CFLni
Cap/Base	G24q-1
Lamp finish	Frosted
Fixture rating	Open
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Retail, Residential & Consumer
Certifications	EUERL036
E-number FI	4943730
E-number SE	8357372
E-number Norway	3825211
Luminous flux (lm)	900
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	82
Wattage (W)	13
Product Voltage (V)	220
Dimmable	No
Average life (Nominal) (h)	12000
Product EAN number	5410288259178

DATA TABLE

General data

IPC Code	0025917
Product name	SA LYNX-DE 13W/827 G24Q-1 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	13
Lamp shape	CFLni
Cap/Base	G24q-1
Lamp finish	Frosted

Lynx DE

SA LYNX-DE 13W/827 G24Q-1 SLV

0025917

Fixture rating	Open
General application	Education,Hospitality,Logistics & Industry,Museums & Galleries,Office,Retail,Residential & Consumer
Certifications	EUERL036
E-number FI	4943730
E-number SE	8357372
E-number Norway	3825211

Optical data

Luminous flux (lm)	900
Luminous flux (Rated) (lm)	900
Luminous flux (Nominal) at 35°C (lm)	1350
Rated lamp efficacy 100h 50Hz at 25°C (lm/W)	69
Rated lamp efficacy 100h 50Hz at optimum temp. (lm/W)	69
Rated lamp efficacy 100h HF at 25°C (lm/W)	69.23
Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	Hom
CRI (Ra)	82
Adjustable chromaticity	N
Rated lumen maint. factor (%) at 2000 h 50Hz	85
Rated lumen maint. factor (%) at 4000 h 50Hz	84
Rated lumen maint. factor (%) at 8000 h 50Hz	81

Electrical data

Wattage (W)	13
Watt (Rated) - High frequency (W)	12.5
Starting time (max) (s)	10 Sec
Current (A)	0.175
Mains voltage (V)	220-240V~
Product Voltage (V)	220
Control gear required	Yes
Transformer required	No
Dimmable	No
Lamp Energy Label (class)	A
Energy efficiency level	A
kWh per 1000 hours burning time	13

Lifetime data

Average life (Nominal) (h)	12000
Average life (Rated) (h)	12000
Rated survival factor (%) at 2000 h 50Hz	96
Rated survival factor (%) at 4000 h 50Hz	90

Lynx DE

SA LYNX-DE 13W/827 G24Q-1 SLV

0025917

Rated survival factor (%) at 6000 h 50Hz	80
Rated survival factor (%) at 8000 h 50Hz	72
Rated survival factor (%) at 12000 h 50Hz	70
Rated survival factor (%) at 16000 h 50Hz	71

Physical data

Max. Length base to base (mm) - A	134
Max. Lamp Diameter (mm) - D	35
Weight (kg)	0.057


Packaging

Single packaging type	Carton
Product EAN number	5410288259178
Packaging single length / height (cm)	14.2
Packaging single width (cm)	3.6
Packaging single depth (cm)	3.6
Units per outer package	10
Packaging outer length / height (cm)	15.5
Packaging outer width (cm)	8.6
Packaging outer depth (cm)	18.5

Safety data

Lamp mercury content (mg)	2.5
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Intended purpose	General lighting
Dry applications use only	Yes
Suitable for household illumination	Yes

TECHNICAL DRAWINGS



Lynx DE
SA LYNX-DE 13W/827 G24Q-1 SLV
0025917

