

## Mini-Lynx Spiral

MLX T2 SPIRAL 20W E27 827 SLV

0031249



### PRODUCT OVERVIEW

IPC Code	0031249
Product name	MLX T2 SPIRAL 20W E27 827 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	20
Lamp shape	Spiral
Cap/Base	E27
Lamp finish	Frosted
Certifications	EUERL032
E-number FI	4940148
Luminous flux (lm)	1200
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Wattage (W)	20
Average life (Nominal) (h)	10000
Product EAN number	5410288312491

### DATA TABLE

#### General data

IPC Code	0031249
Product name	MLX T2 SPIRAL 20W E27 827 SLV
Technology	Compact Fluorescent
Watt (Rated) (W)	20
Lamp shape	Spiral

## Mini-Lynx Spiral

MLX T2 SPIRAL 20W E27 827 SLV

0031249

Cap/Base	E27
Lamp finish	Frosted
Certifications	EUERL032
E-number FI	4940148

### Optical data

Luminous flux (lm)	1200
Luminous flux (Rated) (lm)	1200
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	Hom
CRI (Ra)	80
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	80

### Electrical data

Wattage (W)	20
Equivalent watt (W)	88
Starting time (max) (s)	< 2 s
Warm-up time to 60% of full light (max) (s)	< 60 s
Mains voltage (V)	230V~
Lamp power factor	0.5
No. Of switching cycles before premature failures	10000
Transformer required	Yes
Lamp Energy Label (class)	A
Energy efficiency level	A
kWh per 1000 hours burning time	20

### Lifetime data

Average life (Nominal) (h)	10000
Average life (Rated) (h)	10000

### Physical data

Max. Lamp Diameter (mm) - D	54
Weight (kg)	0.035

### Packaging

Single packaging type	Carton
Product EAN number	5410288312491
Packaging single length / height (cm)	5.7
Packaging single width (cm)	5.7
Packaging single depth (cm)	12.5
DUN14 (inner)	25410288312495
Units per inner package	10
Packaging inner length / height (cm)	34.5
Packaging inner width (cm)	15.9
Packaging inner depth (cm)	18.5

## Mini-Lynx Spiral

MLX T2 SPIRAL 20W E27 827 SLV

0031249

DUN14 (outer)	15410288312498
Units per outer package	50
Packaging outer length / height (cm)	83.5
Packaging outer width (cm)	36.5
Packaging outer depth (cm)	18.5

### Safety data

Lamp mercury content (mg)	2.5
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Intended purpose	General lighting
Dry applications use only	Yes
Suitable for household illumination	Yes

