



A++
energy class


94
lumens/watt

T5 ECO Batten

LBTE 8 WW 2ft ECO
93044478

Product information

GE LED T5 Batten designed to be a direct replacement for conventional battens with energy savings. It offers multiple installation methods to ease your worries and bring customer a brand new experience of soft lighting. These linear luminaires have got no switch. It's your best choice for smooth linear lighting. We offer this range of 8 luminaires in 4 wattages.



Application areas

-  Industrial
-  Hospitality
-  Office
-  Retail

Product data

Mounting type	Surface mount
IP Rating	20
Certifications	CE
Impact resistance	IK02
Weight [kg]	0,11
DIALux description	GE - T5 ECO Batten - 750lm - 8W - 3000K - 80CRI - 93044478[SKU] - Surface mount
Dimensions	581.5x25.9x37.3mm
Energy efficiency class (EEC)	A++

Performance data

Ambient Temperature [°C]	-20 to +40
Rated efficacy [lm/W]	94
Total system power	8
Nominal lumens [lm]	750
Nominal correlated colour temperature (CCT) [K]	3000
Colour rendering index (CRI) [Ra]	80

Optical data

Nominal beam angle [°]	170
------------------------	-----

Electrical data


Nominal lamp power factor	0,9
Class	Class II
Controllability	Not dimmable electronic (Static)

Logistic data


Product status

Available

Photometric Data



Technical drawing



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Installation guide \(PDF\)](#)

[Images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

