TUNGSRAM[™]

Innovation is our heritage EST. 1896



LED T8 Value Glass

LED 8/T8VG 0,6m/840/100-240V 1/15 93076820

Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).


Application areas



Hospitality

📾) Industrial





Product data

Product Code	93076820
Bulb Shape	Т8
Bulb Finish	Diffuse
Bulb Diameter [mm]	28
Regulatory comment	CE certified
Nominal Length [mm]	600
Maximum Overall Length [mm]	604
Net weight per piece [g]	0.145
Gross weight per piece [g]	0.215
Operating position	Universal
Mercury Content [mg]	No
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	G13

Performance data

Nominal/ Rated Beam Angle [°]	200°
Colour Code	840
Colour consistency	<6 steps
Rated Lumens [lm]	1000
Weighted energy consumption [kWh/1000h]	8.0
Rated efficacy [lm/W]	125
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	50000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	1000
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	>0,9
Rated power [W]	8.0
Design Ambient Temperature [°C]	-30+50°C
Starting time (sec)	<0,5 sec
Number of switching cycles	50000
Dimming Capability	No
Nominal power [W]	8

Logistic data

DUN Code	10064894583749
EAN Code	0064894583742
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Corrugated box
Product status	Phased-out

Downloads & Links

Go to the catalog site (HTTP) Installation guide (PDF) Images (HTTP) Datasheet (FR) (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.