


## EX-KRM 63/50

Ex-reduction adaptor, polyamide, M63-M50



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                          |                                           |
|--------------------------|-------------------------------------------|
| Material                 | Polyamide, fibre reinforced               |
| Temp. range min          | -40 °C                                    |
| Temp. range max          | 75 °C                                     |
| Protection class         | IP66 / IP68 (5 bar 30 min)                |
| Marking                  | II 2 D Ex tb IIIC Db, II 2 G Ex eb IIC Gb |
| Approval                 | PTB 04 ATEX 1040 X, IECEx PTB 16.0026X    |
| Thread type outer        | M                                         |
| Ø outer thread           | 63                                        |
| Lead outer               | 1,5                                       |
| Length screw-in thread L | 15 mm                                     |
| Thread type inner        | M                                         |
| Ø inner thread           | 50                                        |
| Lead inner               | 1,5                                       |
| Key width SW             | 68 mm                                     |
| Collar diameter (E)      | 75 mm                                     |
| Total length TL          | 22 mm                                     |
| Form                     | B                                         |
| Product Color            | RAL 9005                                  |
| Order no. RAL 9005       | 10064740                                  |
| Type                     | EX-KRM 63/50                              |
| Packing unit             | 5                                         |
| ETIM-Classification      | EC000938                                  |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Recommended accessories**

**EMUG 63**

10061787

10.01.2020

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

[contact@wiska.de](mailto:contact@wiska.de) · [www.wiska.com](http://www.wiska.com)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice