



PCE

Connection
to the future

SERIES

EISENSTADT

Solid rubber distribution boxes

EISENSTADT

Solid rubber distribution boxes

with suspension hooks
4x eye screws and
hook handle at the bottom

**Cable gland
IP68 at the top**

Captive screws

all exposed metal parts
made of stainless steel

**Solid rubber
housing**

**Ready wired for connection
on Vario terminals**


CEE sockets and safety sockets made of PA6
with nickel-plated contacts, individually replaceable

Protective isolation

through 4-point wall mounting
outside the wiring
compartment (partitioned)

Also available with
**external wall mounting
plate** on request

Dimensions: (unassembled)



IP protection class (housing): **IP54** or optional **IP66/67**

Wall-mounted distribution box **Series EISENSTADT IP54**

Layout	CEE 400V 5p		SS 250V	Protection	Connection	Cat.No.
	32A	16A	16A			
		1			1x terminal 5p 10mm ² 1x M25 (ø13-18mm) top	9849001
	1				1x terminal 5p 10mm ² 1x M32 (ø18-25mm) top	9849058
			2		1x terminal 3p 10mm ² 1x M20 (ø10-14mm) top	9849030
		1	2		1x terminal 5p 10mm ² 1x M20 (ø10-14mm) top	9849050

9849001



9849030

9849050



Wall-mounted distribution box **Series EISENSTADT IP54**

mounted on wall mounting plate (stainless steel)

	1		2	2x MCB 16A 1p-C	1x terminal 5p 10mm ² 1x M25 (ø13-18mm) top	9849185
		1	2	1x MCB 16A 3p-C 1x MCB 16A 1p-C	1x connection directly to MCB and VC terminal (N+PE) 1x M25 (ø13-18mm) top	9849186
		1	2	1x OFF switch 25A 3p AC23A 7,5kW across all outputs	1x terminal 5p 10mm ² 1x M25 (ø13-18mm) top	9849187

9849185



9849187

Hanging distribution box **Series EISENSTADT IP54**

with 4x eye screws and anchor handle

 IP67		1	2		1x terminal 5p 10mm ² 1x M25 (ø13-18mm) top	9849203
		2	2		1x terminal 5p 10mm ² 1x M20 (ø10-14mm) top	9849250
		1	3		1x terminal 5p 10mm ² 1x M20 (ø10-14mm) top	9849251
			4		1x terminal 3p 10mm ² 1x M20 (ø10-14mm) top	9849263
	Accessories: Suspension kit (4x), length = 300mm					9033-1



9849203



9849250

Mobile distribution box **Series EISENSTADT IP54**

Reducing adaptor

			2	2x RCBO 16A 1p+N 0,03A C Type A	2m cable H07RN-F 5G6 with CEE plug 32A 5p 400V	9849716
---	--	--	---	---------------------------------	--	----------------

Layout example: (other combinations on request!)



PCE

Connection
to the future

EISENSTADT

Solid rubber distribution boxes



optionally
available in
IP67

In addition to a wide range of standard types, we specialize in the manufacture of customized solutions.

We plan and manufacture according to your wishes and requirements!

PC Electric Gesellschaft.m.b.H.

Diesseits 145 · 4973 St. Martin im Innkreis · AUSTRIA
TEL +43 7751 61220 · office@pcelectric.at · www.pcelectric.at



098404 EN 10/2025

No guarantee for technical changes
or printing errors.

