



NB5Q-TW01B-V1

NB-V1 HMI with a 5.6 Inch display and a Black Bezel and Ethernet + USB Host

Műszaki jellemzők

Screen diagonal	5.6 in
Number of pixels, horizontal	320
Number of pixels, vertical	240
Type of display	TFT
Frame color	Black
Number of Ethernet ports	1
Number of USB ports	2
Number of RS-232 ports	2
Number of RS-422 ports	1
Number of RS-485 ports	1
Number of colors of the display	65536
Number of grey-scales/blue-scales of display	64
Degree of protection (IP), front side	IP65
Width of the front	184 mm
Height of the front	142 mm
Width of panel cutout	172.4 mm
Height of panel cutout	131 mm
Built-in depth	46 mm
Product Weight (unpacked)	660 g



XW2Z-200T

Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m



XW2Z-500T

Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m

Gépkönyvek, adatlapok, letöltések

CAD Könyvtár



EVE CR-series button cells
Akkumulátorbiztonsági adatlap

EN PDF 400 KB



How to Import PLC Variables from Sysmac Studio
Gyakorlati útmutató

EN PDF 500 KB



NB Faceplate 5.0 - Multilanguage
Szoftver

EN ZIP 80 MB



NB Series Programmable Terminal
Brosúra

EN PDF 4 MB



NB-Designer Setup v1.6.7.0
Szoftver

EN EXE 500 MB



NB-Series Kezdő lépések

EN PDF 10 MB



NB-Series Beállítás kézikönyv

EN PDF 10 MB



NB-Series Host Connection Beállítás kézikönyv

EN PDF 10 MB