

PRODUCT DATASHEET

Vintage 1906 PenduLum PRO Black

Vintage 1906 PenduLum PRO | Indoor pendant luminaires in vintage style



AREAS OF APPLICATION

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

PRODUCT BENEFITS

- Flexible lighting thanks to countless mounting possibilities
- Made of solid aluminum with high-quality appearance
- Semi-matt surface with great look and feel
- Accessories for flexible mounting options included

PRODUCT FEATURES

- Reduced industrial design
- Made of classic materials
- Special vintage appeal when combined with 1906 LED and halogen lamps
- Flexible mounting options: leash principle
- Available in various colors




TECHNICAL DATA

Electrical data

| | |
|------------------------|-------------|
| Nominal voltage | 220...240 V |
| Mains frequency | 50/60 Hz |

Dimensions & weight



| | |
|-----------------------|----------|
| Length | 84.0 mm |
| Diameter | 68.0 mm |
| Height | 84.0 mm |
| Product weight | 481.00 g |
| Cable length | 3000 mm |

Colors & materials

| | |
|----------------------|----------|
| Body material | Aluminum |
| Product color | Black |
| Housing color | Black |

Additional product data

| | |
|---------------------------|-----------|
| Mounting type | Suspended |
| Mounting location | Ceiling |
| Equipped with lamp | No |

Capabilities

| | |
|---------------------------|------------------------|
| Dimmable | No |
| Type of connection | Screw terminal, 3-Pole |
| Holder designation | E27 |

Certificates & standards

| | |
|---|------|
| Protection class IK (shock resistance) | IK03 |
|---|------|

| | |
|---|------|
| Glow Wire Test according to IEC 60695-2-12 | - |
| Protection class | II |
| Type of protection | IP20 |
| Standards | CE |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075153844 | Folding carton box 1 | 140 mm x 140 mm x 213 mm | 627.00 g | 4.17 dm ³ |
| 4058075153851 | Shipping carton box 4 | 291 mm x 291 mm x 228 mm | 2766.00 g | 19.31 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

"Further information at
▶ www.edition-1906.com"

DISCLAIMER

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.