

Cable extension with 6 sockets 2P+E, 16A 250V~. With light switch. 1,5 m of cable.

Cable extension with 6 sockets 2P+E, 16A 250V~. With light switch. 1,5 m of cable. MAX. 3680 W. Cable H05VV-F 3G1,5mm². With fixing holes to the wall. Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

| | |
|--------------------------------|------------------------------|
| Type | Multiple base |
| No. of bases | 6 |
| Basic characteristics | 2P+E, 16A 250V~ |
| Cable length | 1,5 m. |
| Maximum power | 3.680 W |
| Light switch | Yes |
| Cable | Yes |
| Cable Features | H05VV-F 3G1,5mm ² |
| Possibility of using KIT-DIN35 | Yes |
| Wall fixing holes | Yes |

Technical data

| | |
|---------------------------------|--------------|
| Protection Degree (IP) | IP20 |
| Fire resistance (GWT) | 850°C |
| Heat resistance (Ball pressure) | 125°C |
| Ambient operating temperature | -5°C ; +60°C |

Regulations

| | |
|---------------------------------|--|
| CE marking | Yes |
| According to Regulations UNE/EN | UNE-20315-1-1:2017; UNE-20315-1-2:2017 |
| According to REBT | Yes |

| | |
|---|-----|
| Intertek GS certificate | Yes |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes |


Sustainability

| | |
|--|----------------------------------|
| According to European Directive 2011/65/UE (RoHS) | Yes (Complies with UNE EN 50581) |
| According to European Directive 2012/19/UE (RAEE2) | Yes |

Logistics and packaging

| | |
|---------------------------|----------------|
| Unit EAN code | 8423220063907 |
| EAN code container | 8423220063907 |
| EAN code packaging | 18423220063904 |
| Units packaging | 1 |
| Units carton | 16 |
| Pallet Units | 1120 |
| Packaging Measurements cm | 50x0,1x14 |
| Packaging Measures cm | 37,5x20x30 |
| Unit weight (gr) | 445 |
| Container Weight (Kg) | 0,47 |
| Packaging Weight (Kg) | 7,91 |
| Tariff code | 85366990 |

Sketch



Documentation and downloads



Assembly instructions (0.67MB)



Certificate (0.3MB)